



F1E

25.04

Release Notes

© 2025 Forcepoint

Forcepoint and the FORCEPOINT logo are trademarks of Forcepoint.

All other trademarks used in this document are the property of their respective owners.

Published 17 April 2025

Every effort has been made to ensure the accuracy of this document. However, Forcepoint makes no warranties with respect to this documentation and disclaims any implied warranties of merchantability and fitness for a particular purpose. Forcepoint shall not be liable for any error or for incidental or consequential damages in connection with the furnishing, performance, or use of this manual or the examples herein. The information in this documentation is subject to change without notice.

Contents

- 1 Release Notes for Forcepoint F1E v25.04..... 5**
 - About this release..... 5
 - Compatibility..... 5
 - New features in this release.....6
 - Installing and upgrading Forcepoint F1E.....7
 - Resolved and known issues..... 12

Chapter 1

Release Notes for Forcepoint F1E v25.04

| Contents |
|--|
| <ul style="list-style-type: none">About this release on page 5Compatibility on page 5New features in this release on page 6Installing and upgrading Forcepoint F1E on page 7Resolved and known issues on page 12 |

Use these Release Notes to learn what's new and improved in this Forcepoint F1E release. For more information about this release, see:

Related concepts

About this release on page 5

Related reference

New features in this release on page 6
Installing and upgrading Forcepoint F1E on page 7
Resolved and known issues on page 12

About this release

This document contains important information about this release of Forcepoint F1E. We strongly recommend that you read the entire document to understand the scope of the release.

Compatibility

The build number of Forcepoint F1E Package Builder is 25.04.5714.

The F1E products and versions supported in Forcepoint F1E v25.04 release

| Operating System (OS) | F1E Products | Version | Build Number |
|-----------------------|-------------------------|--------------------------------|--------------|
| Windows | Forcepoint DLP Endpoint | Forcepoint DLP v8.9.x or later | 25.04.5714 |

| Operating System (OS) | F1E Products | Version | Build Number |
|-----------------------|---|--|--------------|
| | Forcepoint Web Security Proxy Connect Endpoint | Forcepoint Web Security v8.5.4 or later | |
| | Forcepoint Web Security Direct Connect Endpoint | Forcepoint Web Security v8.5.4 or later | |
| | Remote Filtering Client | Forcepoint URL Filtering v8.5.4 or later | |
| | Forcepoint Endpoint Context Agent | Forcepoint Next Generation Firewall v6.10 or later | |
| Mac | Forcepoint DLP Endpoint | Forcepoint DLP v8.9.x or later | 25.04.0025 |

Support for latest browsers and operating systems

Browsers and operating systems are tested with existing versions of endpoint solutions when they become available. For a full list of supported browsers and operating systems for each endpoint version, see the [Certified Product Matrix](#).

New features in this release

This version brings the following new enhancements:

To comply with Google's planned deprecation of Manifest V2, the F1E browser extension has been updated to Manifest V3. This new version includes an updated Manifest V3 version, which builds on the previous Manifest V3 releases. Manifest V3 is applicable for Google Chrome and Microsoft Edge browsers on Windows, as well as Google Chrome, Mozilla Firefox, and Safari browsers on macOS. It is crucial that you upgrade to this ManifestV3 extension before Google deprecates Manifest V2. Refer to the [Manifest V2 support timeline](#) document to view Google's progress on this effort.



Important

Since Manifest V3 introduces a fundamental design change compared to Manifest V2, it is crucial to review the [Resolved and Known Issues](#) section for any known issues before upgrading your browser extension to Manifest V3.

To leverage this updated Manifest V3 extension, you can either upgrade to the new version of the F1E agent or enable the Manifest V3 extension on top of your existing agent installation.

To update the agent, follow the regular installation or upgrade steps outlined in [F1E Installation guide](#) and [F1E upgrade guide](#). You can add the Manifest V3 extension on top of an existing agent installation. But first, ensure you are running a supported version of the F1E agent. To check supported versions, see [Product Support Lifecycle](#). For detailed instructions, see the [F1E End user guide](#).

You can now choose to enable or disable print detection for web pages using browser extensions when creating endpoint installation packages. For details on availing of this option, refer to [Creating the installation package from the package builder](#).

Installing and upgrading Forcepoint F1E

Installing Forcepoint F1E

For information about using the package builder, installing Forcepoint F1E agents, or uninstalling Forcepoint F1E agents, see the [Installation and Deployment Guide for Forcepoint F1E](#).

Restarting an endpoint machine after an install or uninstall

When you install or uninstall Forcepoint F1E agents on your endpoint machines, you might need to restart the endpoint machine to complete the install or uninstall. The following table shows the scenarios where a restart is required when you install or uninstall the v25.04 agent.

| Forcepoint F1E agent | Restart required? |
|---|--|
| Forcepoint DLP Endpoint (Windows) | <ul style="list-style-type: none"> ■ Install: Yes ■ Uninstall: Yes |
| Forcepoint DLP Endpoint (Mac) | <ul style="list-style-type: none"> ■ Install: No, but an account sign out is required. ■ Uninstall: No |
| Forcepoint Web Security Proxy Connect Endpoint (Windows) | <ul style="list-style-type: none"> ■ Install: No ■ Uninstall: No |
| Forcepoint Web Security Proxy Connect Endpoint (Mac) | <ul style="list-style-type: none"> ■ Install: No, but an account sign out is required. ■ Uninstall: No |
| Forcepoint Web Security Direct Connect Endpoint (Windows) | <ul style="list-style-type: none"> ■ Install: No ■ Uninstall: No |
| Forcepoint Web Security Direct Connect Endpoint (Mac) | <ul style="list-style-type: none"> ■ Install: No, but an account sign out is required. ■ Uninstall: No |
| Forcepoint ECA (Windows) | <ul style="list-style-type: none"> ■ Install: No ■ Uninstall: No |

Upgrading Forcepoint F1E

For information about upgrading Forcepoint F1E, see the [Upgrade Guide for Forcepoint F1E](#).

You do not need to uninstall earlier Forcepoint F1E versions before installing v25.04 if you are upgrading from the following versions:

- Forcepoint DLP Endpoint v22.06, v22.12, v23.04, v23.11, v24.04, v24.07, v24.11, v25.02, or v25.03

- Forcepoint Web Security Endpoint v22.06, v22.12, v23.04, v23.11, v24.04, v24.07, v24.11, v25.02, or v25.03
- Forcepoint ECA v22.06, v22.12, v23.04, v23.11, v24.04, v24.07, v24.11, v25.02, or v25.03

**Note**

- If your Forcepoint F1E version is earlier, Forcepoint recommends that you upgrade to one of the above versions before upgrading to v25.04, or uninstall the earlier version before you install this Forcepoint F1E version.
- Only one type of Forcepoint Web Security Endpoint can be installed on an endpoint machine. Forcepoint Web Security Direct Connect Endpoint cannot be installed on an endpoint machine with Forcepoint Web Security Proxy Connect Endpoint installed.
- If you currently have the Proxy Connect Endpoint installed, but want to install Direct Connect Endpoint (or vice versa), you must uninstall Proxy Connect Endpoint before installing Direct Connect Endpoint.
- If you are upgrading from the conventional Forcepoint ECA (v1.4 or earlier) to this version of Forcepoint ECA, you must uninstall the conventional agent before installing this Forcepoint ECA version.

Restarting the endpoint machine after an upgrade

When you upgrade Forcepoint F1E agents on your endpoint machines, you might need to restart the endpoint machine to complete the upgrade. The following table shows the scenarios where a restart is required when you upgrade from an earlier version of the agent to the v25.04 agent.

| Upgrade from | Restart Required? |
|-----------------------------------|-------------------|
| Forcepoint DLP Endpoint (Windows) | |
| v22.06 | Yes |
| v22.12 | |
| v23.04 | |
| v23.11 | |
| v24.04 | |
| v24.07 | |
| v24.11 | |
| v25.02 | |
| v25.03 | |
| Forcepoint DLP Endpoint (Mac) | |

| Upgrade from | Restart Required? |
|--|---|
| v22.06 v22.12 v23.04 v23.11 v24.04 v24.07 v24.11 v25.02 v25.03 | No, But an account sign out is required. |
| Forcepoint Proxy Connect Endpoint (Windows) | |
| v22.06 v22.12 v23.04 v23.11 v24.04 v24.07 v24.11 v25.02 v25.03 | Yes |
| Forcepoint Proxy Connect Endpoint (Mac) | |
| v22.06 v22.12 v23.04 v23.11 v24.04 v24.07 v24.11 v25.02 v25.03 | No |
| Forcepoint Direct Connect Endpoint (Windows) | |

| Upgrade from | Restart Required? |
|--|-------------------|
| v22.06 v22.12 v23.04 v23.11 v24.04 v24.07 v24.11 v25.02 v25.03 | Yes |
| Forcepoint Direct Connect Endpoint (Mac) | |
| v22.06 v22.12 v23.04 v23.11 v24.04 v24.07 v24.11 v25.02 v25.03 | No |
| Forcepoint ECA (Windows only) | |
| v22.06 v22.12 v23.04 v23.11 v24.04 v24.07 v24.11 v25.02 v25.03 | No |

Using Forcepoint F1E

For information about using the Forcepoint F1E software, see [End User's Guide for Forcepoint F1E](#).

Updating your Forcepoint DLP Endpoint message templates

If you use a custom message XML file, you need to add your custom XML file to your installation:

- You can add the custom XML file to the package builder before you create your installation packages. For more information, see the [Replacing the Message XML in the Forcepoint Endpoint All-in-One Package Builder](#) Knowledge Base article.
- You can install the custom XML file on the Forcepoint DLP server. For more information, see the “Install the new XML file” section in the [Customizing Forcepoint DLP Endpoint client messages](#) Knowledge Base article.

If you have deployed Forcepoint DLP Endpoint v19.06 or later and do not see the new messages for the confirmation dialog box (added in v19.06) or message 10010047 (added in v20.09), you might need to replace the default message template. For more information, see the [Updating Confirmation Dialog message files in Forcepoint F1E](#) Knowledge Base article.

Enabling full disk access on macOS

When you install or upgrade Forcepoint DLP Endpoint on an endpoint machine running macOS 13 (Ventura), macOS 14 (Sonoma), and macOS 15 (Sequoia), you must enable full disk access (FDA) for the following processes:

- Library/Application Support/Websense Endpoint/DLP/ESDaemonBundle.app
- Library/Application Support/Websense Endpoint/DLP/Websense Endpoint Helper.app
- Library/Application Support/Websense Endpoint/DLP/wsdlpd
- Library/Application Support/Websense Endpoint/EPClassifier/EndPointClassifier

If you are installing Forcepoint DLP Endpoint manually on an endpoint machine, the installation prompts you to enable FDA. See [Deploying F1E DLP Endpoints on macOS Environments via Jamf Profile](#) in *Forcepoint F1E Install Guide*.

Installing Forcepoint F1E agents and Neo together on an endpoint machine

If you are working with multiple agent installation, refer to the [Forcepoint Agent Compatibility](#) Knowledge Base article.

Resolved and known issues

This lists the resolved and known issues for the supported versions.

Known Issues

The list of known issues is available in the [Known Issues Knowledge Base](#). You must sign into My Account to view the list. To create a customer account, navigate to the Customer Hub Home page, and then click the **Create Account** link.

Resolved Issues for v25.04

| Forcepoint DLP Endpoint (Windows) | UEP-85233 | Endpoint usability: Fixed a conflict that occurred with certain third party Excel plugins and our agent, which resulted in an error message when copying/pasting data between Office apps. |
|-----------------------------------|-----------|--|
| | UEP-84844 | Endpoint Usability: Resolved an issue preventing users from downloading files from Google Drive. |
| | UEP-84368 | Resolved an issue where older browser extension versions sometimes remained after an agent upgrade or uninstall. |
| | UEP-83373 | Resolved an issue where the decryption utility was copied to the USB upon a USB encrypt policy action, which occurred in itself, was encrypted. Now, the decryption utility is copied unencrypted. |
| | UEP-83363 | Reduced the number of duplicate end user popups and incidents that are created when monitoring clipboard events for MSTSC. |
| | UEP-83195 | Updated the agent to only modify F1E product-specific entries in the registry key for Citrix, other values in the key are left untouched. |
| | UEP-82300 | Resolved an issue that caused Excel to crash on Windows ARM devices. |

| | | |
|---------------------------------|-----------|---|
| | UEP-82998 | Resolved an issue that sometimes resulted in the inline proxy not performing SSL decryption after a reboot. |
| | UEP-80938 | Resolved an issue that resulted in the system tray icon not appearing sometimes when RDS is disabled on the device. |
| | UEP-80020 | Resolved an issue where a file triggered a confirm pop-up, and the file upload was blocked despite the user selecting to allow. This issue only occurred intermittently, but it is now resolved. |
| | UEP-79624 | Endpoint Functionality: Resolved an issue that was causing Outlook to crash in certain cases with a large number of recipients in the To field, e.g, over 500. |
| | UEP-76975 | Incident reporting: With this agent version, incidents reported in the FSM for CD ROM devices on the removable media channel will display the correct serial number as part of the destination value. |
| | UEP-76304 | Incident reporting: With this agent version, incidents reported in the FSM for removable media channel will display the combined serial number and PNP device ID as part of the destination value. |
| Forcepoint DLP Endpoint (macOS) | UEP-81574 | Resolved an issue where Safari extensions were failing to load on macOS 15 Sequoia, when a custom logo for the coaching dialog was used. |
| | UEP-80936 | Resolved a process crash that was preventing the application of DLP policy to files that were copied to a USB on macOS. |
| | UEP-80913 | Resolved an issue on macOS that was causing the Adobe InDesign App to freeze when a file was open from a network location and renamed. |
| | UEP-84251 | Resolved an issue that was causing authentication prompts for a "blackspider" URL to appear for F1E DLP standalone installations. |

| | | |
|---|-----------|---|
| Forcepoint DLP Endpoint (Windows and Mac) | UEP-84845 | Resolved an issue that prevented the DLP policy from being applied to Microsoft Onedrive Web. |
| | UEP-84753 | Endpoint usability: Fixed an issue preventing the copying and pasting of the content into the Chrome and Edge browsers from some applications such as Excel and PowerPoint. |
| Forcepoint Web Security Endpoint (Windows) | UEP-82013 | Endpoint Compatibility: Resolved as an issue with VPN clients that use UDP port 443, where the client would not connect as the F1E DCEP agent blocked this. |
| Forcepoint Web Security Endpoint (macOS) | | No issues were resolved in this release of Forcepoint Web Security Endpoint for Mac machines. |
| Forcepoint Endpoint Context Agent (Windows) | | No issues were resolved in this release of Forcepoint Endpoint Context Agent for Windows machines. |
| Forcepoint One Endpoint package builder | | No issues were resolved in this release of Forcepoint One Endpoint package builder. |

Resolved Issues for v25.03

| | | |
|--|-----------|--|
| Forcepoint DLP Endpoint (macOS) - Manifest V3 Browser Extension Issues | UEP-82459 | Resolved an issue where files were not uploaded after a drag-and-drop action in Firefox. |
| Forcepoint DLP Endpoint (Windows) - Manifest V3 Browser Extension Issues | UEP-84465 | End user behavior impact: Resolved an issue that prevented users from creating a new document in Google Workspace. |
| Forcepoint DLP Endpoint (macOS and Windows) - Manifest V3 Browser Extension Issues | UEP-84480 | End user behavior impact: Resolved an issue preventing users from navigating to certain sites. For example: okta.com, portal.oconnection.com, console.firebase.google.com, atlassian.net, teams.microsoft.com. |

| | | |
|---|-----------|---|
| | UEP-84371 | End user behavior impact: Resolved an issue in the browser extension that was preventing the pasting of images into sites on Chrome, Edge and Safari. The problem still exists with the Firefox browser. |
| Forcepoint DLP Endpoint (Windows) | | No issues were resolved in this release of Forcepoint DLP Endpoint for Windows machines. |
| Forcepoint DLP Endpoint (macOS) | | No issues were resolved in this release of Forcepoint DLP Endpoint for Mac machines. |
| Forcepoint DLP Endpoint (Windows and Mac) | | No issues were resolved in this release of Forcepoint DLP Endpoint for Windows and Mac machines. |
| Forcepoint Web Security Endpoint (Windows) | UEP-82706 | Resolved a Blue Screen of Death (BSOD) issue in PCEP observed with Windows 11 24H2. |
| Forcepoint Web Security Endpoint (macOS) | | No issues were resolved in this release of Forcepoint Web Security Endpoint for Mac machines. |
| Forcepoint Endpoint Context Agent (Windows) | | No issues were resolved in this release of Forcepoint Endpoint Context Agent for Windows machines. |
| Forcepoint One Endpoint package builder | | No issues were resolved in this release of Forcepoint One Endpoint package builder. |

Resolved Issues for v25.02

| | |
|---|--|
| Forcepoint DLP Endpoint (Windows) | No issues were resolved in this release of Forcepoint DLP Endpoint for Windows machines. |
| Forcepoint DLP Endpoint (Mac) | No issues were resolved in this release of Forcepoint DLP Endpoint for Mac machines. |
| Forcepoint DLP Endpoint (Windows and Mac) | No issues were resolved in this release of Forcepoint DLP Endpoint for Windows and Mac machines. |
| Forcepoint Web Security Endpoint (Windows) | No issues were resolved in this release of Forcepoint Web Security Endpoint for Windows machines. |
| Forcepoint Web Security Endpoint (Mac) | No issues were resolved in this release of Forcepoint Web Security Endpoint for Mac machines. |
| Forcepoint Endpoint Context Agent (Windows) | No issues were resolved in this release of Forcepoint Endpoint Context Agent for Windows machines. |

| | |
|---|---|
| Forcepoint One Endpoint package builder | No issues were resolved in this release of Forcepoint One Endpoint package builder. |
|---|---|

Resolved Issues for v24.11

| | | |
|---|--|--|
| Forcepoint DLP Endpoint (Windows) | UEP-76876 | Fixed an issue with the inline proxy that was preventing WhatsApp web page loading on some systems. |
| | UEP-74863 | Resolved an issue where multiple incidents were created on performing permit action in websites. |
| | UEP-78903 | Resolved a scenario where a BSOD could occur when a file is moved to a USB and encrypted using a profile key on one device and edited on a different device with a permit (audit) action is triggered. |
| | UEP-75711 | Resolved an issue where the inline proxy would not start correctly if the agent was installed in a custom location. |
| | UEP-78882 | Resolved an issue where files were sometimes not blocked if they were stored in a folder with a long source path. |
| Forcepoint DLP Endpoint (Mac) | No issues were resolved in this release of Forcepoint DLP Endpoint for Mac machines. | |
| Forcepoint DLP Endpoint (Windows and Mac) | No issues were resolved in this release of Forcepoint DLP Endpoint for Windows and Mac machines. | |
| Forcepoint Web Security Endpoint (Windows) | No issues were resolved in this release of Forcepoint Web Security Endpoint for Windows machines. | |
| Forcepoint Web Security Endpoint (Mac) | No issues were resolved in this release of Forcepoint Web Security Endpoint for Mac machines. | |
| Forcepoint Endpoint Context Agent (Windows) | No issues were resolved in this release of Forcepoint Endpoint Context Agent for Windows machines. | |
| Forcepoint One Endpoint package builder | No issues were resolved in this release of Forcepoint One Endpoint package builder. | |

Resolved Issues for v24.07

| | | |
|-----------------------------------|-----------|---|
| Forcepoint DLP Endpoint (Windows) | UEP-76945 | Resolved an issue where sites that were added to the JavaScript injection bypass list were not loading correctly. |
| | UEP-76097 | Now, the Firefox Proxy and PAC settings are no longer locked. |
| | UEP-75822 | Resolved an issue where <code>fpneonetworksvc.exe</code> crashed. |
| | UEP-77155 | Resolved an issue where the agent was setting a registry value for Chrome that caused other Chrome extension to be unloaded in certain circumstances. |
| | UEP-76876 | Resolved an issue with the inline proxy that was preventing WhatsApp web page loading on some systems. |
| | UEP-76914 | Resolved an issue where users could uninstall the agent without providing the anti-tampering password. |
| | UEP-76447 | Resolved an issue where the F1E endpoint icon disappeared from the system tray after the first shutdown when RDP Services were not running. |
| | UEP-77146 | Resolved an issue where Outlook crashed in F1E 24.04 when sending email to a distribution list with hidden recipients. |
| | UEP-76886 | Now, F1E DLP blocks the data pasted in the DingTalk application. |
| | UEP-76274 | Resolved an issue where users with DLP endpoint on Windows machines experienced Blue Screen of Death (BSOD) errors due to <code>cwnep.sys</code> . |
| | UEP-78059 | Resolved an issue where a lot of <code>.tmp.QIPT</code> and <code>.tmp.WEFS</code> were getting accumulated in the endpoint machine at <code>C:\Windows\Temp</code> and these were not getting deleted automatically. |
| | UEP-76287 | Now, the URLs load correctly. |

| | | |
|---|--|---|
| | UEP-75817 | Resolved an issue where customers encountered Secure/Multipurpose internet Mail Extensions (S/MIME) error in outlook when replying to an existing conversation. |
| | UEP-76069 | Now, Google and Bing searches on the address bar loads after installing F1E 23.11 endpoint with Inline proxy. |
| | UEP-76482 | Resolved an issue where Blue Screen of Death (BSOD) errors occurred due to WsNetFlt.sys with the 23.04 endpoint, potentially caused by a conflict with a third-party application. |
| | UEP-80966 | Resolved the issue by removing the versions of 7-zip libraries included with the agent that were found to be vulnerable. |
| Forcepoint DLP Endpoint (Mac) | UEP-76407 | Resolved an issue where the Firefox PAC setting got locked on MacOS in browser extension mode. |
| | UEP-76313 | Resolved an issue where the default domain configured in the Endpoint package was not getting applied after installation. |
| | UEP-76332 | Resolved an issue where applications were hanging and not launching in the MAC machines. |
| Forcepoint DLP Endpoint (Windows and Mac) | No issues were resolved in this release of Forcepoint DLP Endpoint for Windows and Mac machines. | |
| Forcepoint Web Security Endpoint (Windows) | UEP-75529 | Resolved an issue where Firefox was not opening in DLP+DCEP mode. |
| | UEP-76482 | Resolved an issue where users with PCEP 23.04 endpoint on Windows machines experienced Blue Screen of Death (BSOD) errors due to WsNetFlt.sys. |
| Forcepoint Web Security Endpoint (Mac) | No issues were resolved in this release of Forcepoint Web Security Endpoint for Mac machines. | |
| Forcepoint Endpoint Context Agent (Windows) | UEP-77262 | The updated ssleca lib files for Windows 32 and Windows x64 are now bundled with F1E. |

| | | |
|---|---|--|
| Forcepoint One Endpoint package builder | No issues were resolved in this release of Forcepoint One Endpoint package builder. | |
|---|---|--|

Resolved Issues for v24.04

| | | |
|-----------------------------------|-------------|--|
| Forcepoint DLP Endpoint (Windows) | UEP-76064 | Resolved an issue where the memory usage of <code>fpneonetworksvc.exe</code> increased excessively during web file uploads, leading to machine crashes. |
| | UEP-75815 | Resolved an issue where multiple problems occurred when a user copied the <code>MSTSC.exe</code> file from the desktop to another server or machine's RDP. |
| | UEP-75101 | Microsoft Edge now loads after the machine with DLP endpoint installed comes out of sleep mode. |
| | UEP-75383 | Resolved an issue where multiple incidents were created on performing permit action, and confirming pop up text in JSInjected websites. |
| | UEP-74802 | Resolved an issue where pasting more than ten keywords into WebEx Chat created multiple duplicate incidents. |
| | UEP-75822 | Resolved the <code>fpneonetworksvc.exe</code> crash issue. |
| | UEP - 76027 | User can now open the DLP notification mail as the attachment appears in correct format. |
| | UEP-75107 | Users can now open multiple PDF files from a network path with a long path. |
| | UEP-75992 | When the endpoint is set to monitor mode, the Confirm dialog no longer appears, allowing the transaction. |
| | UEP-75484 | After uninstalling F1E DLP, the Websense Endpoint folder is no longer left behind. |
| | UEP-75118 | F1E User Interface now supports High Contrast mode. |

| | | |
|--|---------------------------------|--|
| | UEP-74863 | Resolved an issue where multiple incidents were created on performing permit action in websites. |
| | UEP-75041 | Resolved an issue where <code>Wepsvc.exe</code> crashed in every few minutes. |
| | UEP-76914 | Resolved an issue where users could uninstall the agent without providing the anti-tampering password. |
| | UEP-74547 | Resolved an issue where Endpoint printing was mixing up files between users in a VDI environment. |
| | UEP-75046 | Resolved an issue where the software was unable to analyze the content of attached emails. This limitation occurs because, while regular file attachments are processed as expected, attached emails (including binary .msg files) cannot currently be analysed by the software. |
| | UEP-74014, UEP-74073, UEP-74940 | Resolved an issue where BSOD occurred due to <code>Cwnep.sys</code> with 22.12 endpoint. |
| Forcepoint DLP Endpoint (Mac) | UEP-75696 | Resolved an issue where USB device storage exceptions were not functioning as expected on MAC. |
| | UEP-75681 | Now, the Forcepoint log folder is not left behind after uninstallation. |
| | UEP-73274 | <code>web.telegram.org/k</code> has been now added to the JavaScript injection exclude list so that file upload is not blocked. |
| Forcepoint Web Security Endpoint (Windows) | UEP-75986 | Resolved an issue where users with PCEP 23.10 endpoint on Windows machines experienced Blue Screen of Death (BSOD) errors. |
| | UEP-76291 | Resolved an issue where Firefox took several minutes to launch with F1E DCEP running. |
| | UEP-75529 | Resolved an issue where Firefox was not opening in DLP+DCEP mode. |

| | | |
|---|--|--|
| | UEP-72553 | Resolved an issue where, when IPv6 was enabled, requests to authenticate for VSCode client build compilation failed 1 out of 10 times. |
| | UEP-75108 | Resolved an issue where internet was not working with F1E PCEP for hybrid customer tenant. |
| Forcepoint Web Security Endpoint (Mac) | No issues were resolved in this release of Forcepoint Web Security Endpoint for Mac machines. | |
| Forcepoint Endpoint Context Agent (Windows) | No issues were resolved in this release of Forcepoint Endpoint Context Agent for Windows machines. | |
| Forcepoint One Endpoint package builder | No issues were resolved in this release of Forcepoint One Endpoint package builder. | |

Resolved Issues for v23.11

| | | |
|-----------------------------------|----------------------|---|
| Forcepoint DLP Endpoint (Windows) | UEP-74998 | File contents of ZIP/PPTX data type are now getting detected with the v23.04 agent over the Endpoint Email channel. |
| | UEP-74549 | Resolved an issue where the DLP Endpoint Email channel failed to detect any excel file whose size exceeded 1 MB. |
| | UEP-73642 | The <code>Dserui.exe</code> and <code>ProxyUI.exe</code> processes of <code>F1EUI.exe</code> are now being protected by antitampering. |
| | UEP-74616, UEP-74496 | Resolved an issue where the Confirmation Coaching Dialog box did not include any missing violated content whenever the user upgraded from v22.12 to v23.04. |
| | UEP-73314 | The session number on Azure Virtual Desktop now reflects the correct value of active azure desktop users who logged in. |
| | UEP-74672 | Resolved an issue where the NEP advanced exclusions stopped working in v23.04. |

| | | |
|--|-----------|---|
| | UEP-74799 | Resolved an issue where after installing F1E DLP and restarting machine, the event logs displayed few services crashing and restarting. |
| | UEP-74715 | When a user upgrades to v23.04, the <code>wepsvc.exe</code> file of Enabling Endpoint Bypass feature no longer crashes. |
| | UEP-74986 | Resolved an issue where the web traffic gets blocked when the user installs F1E DLP v23.04 and enables inline proxy mode. |
| | UEP-74876 | When Remote Desktop Services is disabled on Windows 11, the endpoint no longer causes performance issues with certain applications and the tray icon no longer disappears. |
| | UEP-75041 | Resolved an issue where the <code>wepsvc.exe</code> file kept on crashing every few minutes after the user upgraded to Endpoint v23.04 |
| | UEP-74717 | Forcepoint F1E Inline Proxy no longer removes Window's proxy setting script after the service restarts and waits to get its correct configuration from the Forcepoint Security Manager (FSM). |
| | UEP-73489 | Removed the support of 32-bit installer creation using the package builder, since it's no longer supported. |
| | UEP-74548 | SSL bypass list character limit on the Endpoint is now fixed. |
| | UEP-74997 | The PDF printing feature from Chrome browser now blocks all sensitive text when in Inline Proxy mode. |
| | UEP-75117 | Resolved an issue where cut, copy and paste actions were not detected and blocked in Firefox browser. |
| | UEP-75110 | The BSOD error no longer appears after installing the Endpoint Agent while running with Policy PAK software. |

| | | |
|--|----------------------|--|
| | UEP-74718 | Resolved an issue where Endpoint LAN exclusions were not working as expected in v23.04. |
| Forcepoint DLP Endpoint (Mac) | UEP-74667, UEP-74669 | Apple Mail Plugin is now compatible with macOS Ventura 13.4 (M1). |
| | UEP-75023 | Resolved an issue where the Apple Mail Plugin was non compatible with macOS Ventura 13.5. |
| | UEP-74395 | EPC and DLP no longer crashes on macOS 13.1 Ventura. |
| | UEP-74878 | Resolved an issue where the internet access got blocked after installing Mac Endpoint Client IB v23.04. |
| | UEP-74383 | Resolved an issue where the macOS network extension for Inline Proxy did not redirect to local host, by adding support for Zscaler compatibility. |
| | UEP-73290 | Incidents on Mac Safari are now getting reported for the sensitive key phrases in the message body of Gmail. |
| | UEP-75272 | Resolved an issue where some apps were not launching from Finder/Dock after a prolonged period of time. |
| | UEP-74877 | F1E DLP 23.04 enables inline proxy if endpoint is disconnected when rebooting after install. This issue is fixed now. |
| | UEP-74978 | Resolved an issue where hooking on email, network and removable media channels was not working as expected on customer environment except with Safari. |
| Forcepoint Web Security Endpoint (Windows) | UEP-74325 | Resolved an issue where the F1E DCEP experienced intermittent service crashes, by improving memory mapping in DCEP. |
| | UEP-73428 | Resolved an issue where users were unable to log into Citrix while connected to VPN with F1E DCEP 22.10 in an IPv6 environment. |
| | UEP-75103 | Accented characters are now getting detected via extension in Firefox browser. |

| | | |
|---|--|--|
| | UEP-72553 | Resolved an issue where when enabling IPv6, requests to authenticate for VSCode client build compilation failed 1 out of 10 times. |
| Forcepoint Web Security Endpoint (Mac) | No issues were resolved in this release of Forcepoint Web Security Endpoint for Mac machines. | |
| Forcepoint Endpoint Context Agent (Windows) | No issues were resolved in this release of Forcepoint Endpoint Context Agent for Windows machines. | |
| Forcepoint CASB Endpoint (Windows) | No issues were resolved in this release of Forcepoint CASB Endpoint for Windows machines. | |
| Forcepoint One Endpoint package builder | No issues were resolved in this release of Forcepoint One Endpoint package builder. | |

Resolved Issues for v23.04

| | | |
|-----------------------------------|-----------|---|
| Forcepoint DLP Endpoint (Windows) | UEP-71230 | Windows DLP Contained files stored in %TEMP% are now automatically deleted. |
| | UEP-72222 | EP Email doesn't get blocked anymore when the sensitive content is removed from the email. |
| | UEP-71592 | File now gets scanned whenever it gets accessed via a modal dialog. |
| | UEP-73431 | Product Code in setup.ini now matches with the product code present on the Endpoint. |
| | UEP-73560 | DLPOfficeAddin.xml gets correctly validated now when it is uploaded to O365. |
| | UEP-72854 | Customer custom application is now working when DLP Agent is installed, and Anti Tampering is enabled. |
| | UEP-72356 | When a file gets encrypted on USB and is deleted, it no longer gets saved in USB Drive Recycle bin in plain text. |
| | UEP-72369 | Serial number now gets reported correctly for SanDisk Extreme USM mass storage device. |

| | | |
|---|--|--|
| | UEP-72323 | Source file path details are now reported correctly in the incident for removable media channel. |
| Forcepoint DLP Endpoint (Mac) | UEP-73005 | User interaction is no longer required for uninstalling Forcepoint Neo NE App. |
| Forcepoint Web Security Endpoint (Windows) | No issues were resolved in this release of Forcepoint Web Security Endpoint for Windows machines. | |
| Forcepoint Web Security Endpoint (Mac) | No issues were resolved in this release of Forcepoint Web Security Endpoint for Mac machines. | |
| Forcepoint Endpoint Context Agent (Windows) | No issues were resolved in this release of Forcepoint Endpoint Context Agent for Windows machines. | |
| Forcepoint CASB Endpoint (Windows) | No issues were resolved in this release of Forcepoint CASB Endpoint for Windows machines. | |
| Forcepoint One Endpoint package builder | No issues were resolved in this release of Forcepoint One Endpoint package builder. | |

