## Forcepoint Data Security Posture Management

**Powered by Getvisibility** 

Setup an SMB Scan



Report

Forcepoint April 23, 2024

## Table of Contents

## Steps

Creating a CIFS/SMB scan with DDC/FDC can be accomplished by following these steps:

1. On the DDC dashboard, locate the **Data Sources** section from the Administrator menu and navigate to the **Data Sources** section:

F Force Powered	point DSPM Dashboard 🔻	Analytics DSPM 👻 🧲	Administration				
O PATTERN MATCHING	20 AWSIAM	Connection scans	Tagging rules 🛛				
DATA SOURCES	AWS 53	Add, adjust, or remove data sources. Initiate scanning or tagging on selected sources. Tailor your data management to your unique needs.					
·   · DETECTORS	2Q Azure AD	NEW SCAN					
20	Azure Blob				Search connections by name	۵ 🕸	
USER MANAGEMENT	C Azure Files	Nama	Total scanned	Total classified	Status		
<del>දද</del> NETWORK	C OneDrive		i da solinda	No connections have been created yet	5000		
SETTINGS	C SharePoint Online						
	LDAP						
	SharePoint On- Premise						
	C SMB						
	2 Google IAM						
	Coords Drive						

Figure 1.

2. Click on the New Scan button to create a new data source connection.

Name	Username		Password	
Domain/Workgroup		Host IP address		
domain.com		0.0.0		
Yort	Path			
445				[
Data Owner	Geographic Lo	ocation		
Selectuser	✓ Select count	ries		



- 3. Input the necessary details to configure the CIFS/SMB Connection:
  - Name: Assign a descriptive name to the new connection.

- **Username**: Enter the username with permissions to access the CIFS/SMB share.
- **Password**: Type in the password corresponding to the above username.
- Domain/Workgroup: Specify the domain or workgroup to which the CIFS/SMB server belongs.
- Host IP Address: Fill in the IP address of the CIFS/SMB server.
- Port: If the default port is not used, input the correct port number for the SMB protocol.
- Path: Provide the network path to the specific directory or share to be scanned.
- **Graphic location**: Select the graphic location from the drop-down.
- 4. After verifying all details are correct, click on the SAVE button to store the configuration.
- 5. Find your newly created CIFS/SMB connection in the list.
- 6. Click on the corresponding action button to **Start file scan**.

Force Powere	apoint DSPM Dashboard 🔻	Analytics DSPM 🔻	Administration 💌				
DATTERN MATCHING	20 AWSIAM	Connection scans	Tagging rules				
Ca: DATA SOURCES	AWS 53	Add, adjust, or remove data sources. Initiate scanning or tagging on selected sources. Tailor your data management to your unique needs.					
·III· DETECTORS	20 Azure AD	NEWSCAN					
LUSER MANAGEMENT	Eq. Azure Blob				Search connections	thy name	
	Azure Files						
ාද්ර NETWORK SETTINGS	C OneDrive	Name	Total scanned	Total classified	Status		
	SharePoint Online	6ww36h	20	9	In progress	=	
			Sł		Delete connection		
	20 LDAP				Edit connection		
	SharePoint On-					Eq. Start file scan	
	EQ Premise					Start connection tagging	
	EQ SMB						

Figure 3.



forcepoint.com/contact

## **About Forcepoint**

Forcepoint simplifies security for global businesses and governments. Forcepoint's all-in-one, truly cloud-native platform makes it easy to adopt Zero Trust and prevent the theft or loss of sensitive data and intellectual property no matter where people are working. Based in Austin, Texas, Forcepoint creates safe, trusted environments for customers and their employees in more than 150 countries. Engage with Forcepoint on www.forcepoint.com, Twitter and LinkedIn.

© 2024 Forcepoint. Forcepoint and the FORCEPOINT logo are trademarks of Forcepoint. All other trademarks used in this document are the property of their respective owners. [Forcepoint Data Security Posture Management Powered by GetVisibility Setup an SMB Scan] [Status]23 Apr. 24